

Aubrey Graham

Interviewer: continuumdemo4@asam.org

Assessment Start: 2/26/2019 4:52 PM

Assessment End: 2/26/2019 4:52 PM

ASAM CONTINUUM® NARRATIVE REPORT

Patient: Aubrey Graham

Interviewer: continuumdemo4@asam.org

Admission Date: 2/26/2019 4:52 PM

Assessment Begun: 2/26/2019 4:52 PM

Assessment Ended: 2/26/2019 4:52 PM

NOTE: This report contains an automated narrative summary of the patient's condition, derived from selected structured interview items. This instrument is not a replacement for individual provider assessment and sound clinical judgment. ASAM and FEi Systems assume no direct or indirect liability for improper care or negative outcomes that may ensue from the use of this instrument. Consider your patient's needs carefully, using this instrument as one of many clinical tools in your determination of proper care. The Criteria may not encompass all levels and types of services which may be available in a changing health care field. Therefore, the Criteria may not be wholly relevant to all levels and modalities of care.

This summary is based on the patient's self-report regarding lifetime and recent Medical, Employment, Alcohol, Drug, Legal, Family/Social and Psychiatric involvement and/or problems. Included in each of these sections is the interviewer's severity rating, suggesting the client's need for treatment (or additional treatment beyond what the patient is already receiving). This is based on the information provided by the client and other sources as available at the time.

Class of Assessment:

Intake

Interview Was Conducted:

In person

PSYCHIATRIC SECTION

Serious Emotional and Psychological Problems - Lifetime

Aubrey has a past history of psychiatric symptoms in his lifetime, including serious problems with depression and anxiety. Aubrey denies having serious thoughts about suicide and does not have a history of attempting suicide in his lifetime. Aubrey has a past history of difficulty understanding or concentrating, he does not acknowledge a history of violent behavior. He does not have a history of being prescribed psychotropic medications. He does not have a history of treatment for psychological or emotional problems. He does not receive any financial compensation for a psychiatric disability.

Client Perception of Severity of Emotional and Psychological Problem and Desire for Treatment

Aubrey has had problems with depression in the past 30 days, and he was clearly depressed at the time of the interview. Aubrey has had serious problems with anxiety in the past 30 days, and he was clearly anxious at the time of the interview. Aubrey has not experienced suicidal ideation in the past 30 days and did not appear to be having suicidal thoughts at the time of the interview. Aubrey has not attempted suicide in the past 30 days. Aubrey has had trouble understanding or concentrating in the past 30 days, he was clearly having trouble with memory/comprehension at the time of the interview. Aubrey denies experiencing any trouble controlling violent behavior in the past 30 days, however, he was clearly hostile at the time of the interview. Aubrey has not experienced hallucinations in the past 30 days and did not appear to be experiencing symptoms of a thought disorder at the time of the interview. Aubrey has not been prescribed psychotropic medications in the past 30 days. Aubrey experienced symptoms on 12 of the past 30 days, and is moderately bothered by them. Obtaining psychological or emotional treatment is of moderate importance to him.

Interviewer Impressions and Recommendations - Psychiatric


It is unclear whether or not Aubrey can understand the questions in this section. He appears to have some psychological or emotional problems or concerns, but treatment does not look as though it is necessary.

Interviewer Comments

The interviewer did not have any comments for this section.

PATIENT PERCEPTION

The following is a graph showing the patient's perception of his problems, column A, and his desire for treatment, column B.




ADDICTION SEVERITY INDEX COMPOSITE SCORES

The ASI Composite scores rate severity in seven areas of the patient's life. Analysis of his ASI responses revealed the following composite scores:

(NOTE: The same score in different ASI Composite Subscales does not necessarily denote a similar extent of severity.)

ASI Composite Scores

Category	Value
Medical	0.178
Employment	0.967
Alcohol	0.163
Drug	0.359
Legal	0.100
Family and Social	0.500
Psychiatric	0.400



PROBLEM LIST

ASAM DIMENSION 1 - ACUTE INTOXICATION AND/OR WITHDRAWAL POTENTIAL	
Item ID	Item Statement
ASId1-13b	Substance(s) used within the past 3 days: <i>Alcohol, Heroin, Cannabis, Nicotine.</i>
ASIm6a	Is the patient currently showing symptoms or signs of intoxication? <i>Not sure or possibly</i>
ASId99	Is the patient experiencing significant withdrawal, or is there evidence that withdrawal is imminent? Consider substance intake, age, gender, previous withdrawal history, symptoms, physical, emotional, behavioral and cognitive conditions. <i>Withdrawal (WD) OR evid. of imminent WD AND mod. risk of severe WD outside a program, but free of severe phys. & psych. complications AND would safely respond to several hours of meds & treatment</i>

ASAM DIMENSION 2 - BIOMEDICAL CONDITIONS AND COMPLICATIONS	
Item ID	Item Statement
ASIm6	Medical problems in past 30 days? <i>Digestive, stomach, bowel, liver, pancreas, diabetes, Dental, teeth, gums, Urinary, bladder, .</i>
ASIm6i	Do you have any unsteadiness on your feet, problems with walking or balance, such that you could easily fall or have trouble getting around or using stairs? <i>Not sure or possibly</i>
ASIm6l	Do you have any liver problems or disease (e.g., jaundice) that are so serious and worsening to the point that you might require inpatient treatment? <i>Not sure or possibly</i>
ASIm6o	Has the patient suffered a serious impairment of mental status, cardiac or other vital function due to substance overdose in the past 24 hours? <i>Not sure or possibly</i>
ASIm6p	Does the patient have more than one serious, active medical problem? <i>Not sure or possibly</i>
ASIm6q	Would the patient's continued substance use endanger his/her medical condition? <i>Yes</i>
ASIm6r	Does the patient exhibit any symptoms that would be considered life-threatening AND are related to alcohol or drug use? <i>Yes</i>
ASIm6s	Is the patient's use of substances likely to cause a severely dangerous exacerbation of a medical condition? <i>Yes</i>

ASAM DIMENSION 2 - BIOMEDICAL CONDITIONS AND COMPLICATIONS

Item ID	Item Statement
ASIm6t	Does the patient's medical condition(s) make abstinence vital? <i>Yes</i>
ASIm6u	Are the patient's biomedical problems the complications of alcohol or drug use? <i>Yes</i>
ASIm8a	How much medical or nursing care or physical rehabilitation do you need? <i>Hospitalization</i>
ASIm9	How would you rate the patient's need for medical treatment? <i>Moderate problems require close outpatient follow-up (e.g. diabetes)</i>
ASIm8	How important to you now is treatment for these medical problems? <i>Moderately</i>

ASAM DIMENSION 3 - EMOTIONAL, BEHAVIORAL, OR COGNITIVE CONDITIONS AND COMPLICATIONS

Item ID	Item Statement
ASIp4s	Trouble falling asleep, staying asleep, or sleeping too much? <i>Extremely</i>
ASIp4v	Recurring & persisting thoughts, not just excessive worries, that intrude & make you feel bad? <i>Extremely</i>
ASIp10a	Are you currently receiving the psychiatric care and services that you need? (Don't include any alcohol or drug service needs with this item) <i>No</i>
ASIp12	How much have you been troubled or bothered by the previously discussed psychological or emotional problems in the past 30 days? <i>Moderately</i>
ASIp13	How important to you now is counseling for these psychological problems? Why? <i>Moderately, psychological needs will require specialized psychiatric care</i>
ASIp19h	Is the patient able to safely access the commuint? for work, education, and other commuint? resources? <i>No</i>
ASIp20a	Does the patient's current behavior seem inconsistent with reliable self-care, safety, or ability to participate in treatment? <i>Yes</i>
ASIp22	Is the above information significantly distorted by the patient's inability to understand? <i>Not sure or possibly</i>

ASAM DIMENSION 4 - READINESS TO CHANGE

Item ID	Item Statement
	In this Dimension, the patient's assessment did not reveal immediate treatment needs.

ASAM DIMENSION 5 - RELAPSE, CONTINUED USE OR CONTINUED PROBLEM POTENTIAL

Item ID	Item Statement
ASId14	Which substance is the major problem? <i>Heroin</i>
ASId##Qa	Interviewer: Has the patient responded to appropriate recent efforts by the prescriber to maintain dose at therapeutic levels? <i>No</i>
ASId18d	How many times in your life have you been treated for drug use problems? <i>4</i>
ASId19d	Counting the times in your life you have been treated for drug use problems, how many of these were withdrawal management only? <i>2</i>
ASId19e	Have you usually left withdrawal management before you were advised to, in the past? <i>Yes</i>
ASId21c	Do you usually find you can't wait for things that you really want badly? <i>Yes</i>
ASId21d	Is it hard for you to work at things that will only pay off in the future? <i>Yes</i>
ASII26	How serious do you feel your present legal problems are (Exclude civil problems)? <i>Moderately</i>
ASII28	How would you rate the patient's need for legal services or counseling? <i>9</i>
ASII29	Is the above information significantly distorted by the patient's misrepresentation? <i>Yes</i>
ASId25e	Is the patient manifesting any current serious escalation of relapse behaviors? <i>Yes</i>
ASId22e	Imagine yourself in the environment in which you previously used drugs and/or alcohol. If you were living in this environment today, what is the likelihood that you would use? <i>Extremely</i>
ASId22f	Rate how strong your urges are for a drug and/or alcohol when something in the environment reminds you of it. <i>Extremely</i>
ASId22g	How strong is your desire to use any drug right now? <i>Extremely</i>

ASAM DIMENSION 5 - RELAPSE, CONTINUED USE OR CONTINUED PROBLEM POTENTIAL

Item ID	Item Statement
ASId22i	Have your addiction symptoms increased recently? How...? (Ask about any items below not mentioned by the patient) Have you had more craving, risk behaviors, more frequent use, increased amount of substance or have you used a more rapid route of administration? <i>Increased use or more acute route of administration than before</i>
ASId22k	Do you feel you are likely to continue using or, if not using, that you are in danger of relapsing? How soon...? Do you feel at risk, even if you have had some treatment previously? <i>At risk today</i>
ASId25a	How would you rate the patient's need for treatment for alcohol use problems? <i>5</i>
ASId23d	How troubled or bothered have you been in the past 30 days by these drug problems? <i>Extremely</i>
ASId24d	How important at this time is treatment for your drug problem (if any)? <i>Extremely</i>
ASId25d	How would you rate the patient's need for treatment for drug use problems? <i>9</i>
ASId27	Is the above information significantly distorted by the patient's inability to understand? <i>Yes</i>

ASAM DIMENSION 6 - RECOVERY/LIVING ENVIRONMENT

Item ID	Item Statement
ASIf6a	Tell me about alcohol & drug use in your current living situation... How will these living arrangements affect your needs for treatment & recovery? <i>Will discourage or hinder treatment/recovery</i>
ASIf19	How many days have you experienced employment problems in the past 30 days? <i>30</i>
ASIf20	How troubled or bothered have you been by these employment problems in the past 30 days? <i>Extremely</i>
ASIf22	How would you rate the patient's need for employment counseling? <i>9</i>
ASIf25	Comments
ASIf8a	Tell me about alcohol & drug use in your free time activities... How will your free time affect your treatment & recovery? <i>Will discourage or hinder treatment/recovery</i>
ASIf9a	Tell me about alcohol & drug use among your friends... How will your friends affect your treatment and recovery? <i>Will discourage or hinder treatment/recovery</i>

ASAM DIMENSION 6 - RECOVERY/LIVING ENVIRONMENT	
Item ID	Item Statement
	How many days in the past 30 have you had serious conflicts:
ASIf10b	with your family <i>15</i>
	In the past month, have you had significant periods, in which you have experienced serious problems with:
ASIf11	Mother <i>Yes</i>
ASIf12	Father <i>Yes</i>
ASIf13	Brother(s)/Sister(s) <i>Yes</i>
ASIf14	Sexual parter/Spouse <i>Yes</i>
ASIf19a	Have you been emotionally abused during the past 30 days? <i>Slightly</i>
ASIf19d	Have you recently neglected/abused family members? <i>Not at all</i>
ASIf19e	Did your neglect/abuse of family occur during your substance use? <i>Yes</i>
ASIf19f	Is it likely that family neglect/abuse will worsen without care at a level greater than Level II? <i>Extremely</i>
ASIf19g	Who is the person (or persons) with whom you have had contact during the past 4 months and who has been most important to you? <i>Close friends</i>
ASIf19h	How much help will this person (or these persons) need to assist in your treatment and recovery and how likely is it that he/she/they will get involved in your treatment? <i>Needs couples or family counseling or therapy and will participate</i>
ASIf19i	What is the likelihood that you could cause harm to or neglect others? <i>Slightly</i>
ASIf19k	Is the risk of harm only a problem during alcohol or drug intoxication? <i>Extremely</i>
ASIf19l	Are you able to locate & get yourself to community resources safely? <i>No</i>
	How troubled or bothered have you been in the past 30 days by these:

ASAM DIMENSION 6 - RECOVERY/LIVING ENVIRONMENT	
Item ID	Item Statement
ASIf20	How troubled or bothered have you been in the past 30 days by family problems? <i>Extremely</i>
ASIf21	How troubled or bothered have you been in the past 30 days by social problems? <i>Moderately</i>
	How important to you now is treatment or counseling for these:
ASIf22	How important to you now is treatment or counseling for family problems? <i>Extremely</i>
ASIf23	How important to you now is treatment or counseling for social problems? <i>Moderately</i>
ASIf24	How would you rate the patient's need for family and/or social counseling? <i>9</i>
ASIf24d	If transitioning to life in the community, does the patient need staff support to maintain recovery? <i>Needs contact daily</i>